

## oona 15 - New age of contactless checkout



## Reimagine Checkout. Right at the point of interaction.

The oona 15 is your future-proof self-service / POS device – with integrated contactless payment support, flexible mounting, and uncompromising performance.

- Between kiosk, POS and tablet perfectly positioned for the modern point of service.
  - The oona 15 bridges the gap between fixed kiosks and mobile tablets delivering full self-service power in a flexible, compact format
- One device. Many use cases.

  From retail to hospitality, the oona 15 adapts to a wide range of self-service scenarios whether mounted, countertop, or temporarily mobile.
- EMVCo certified: ready for the future of contactless.

  EMVCo Level 1 certification ensures the oona 15 is future-proofed for secure, tap-to-pay transactions directly on the screen, without external readers.





## Specification

	oona 15
Payment NFC	Front facing NFC antenna (top rght location, illuminated symbol) Optimized for payment processing Supporting transit cards (Felica, MiFare), EMVCo L1 approved SoftPOS applications from various partners available
Display	15.6" with FHD resolution (1080x1920 px) Brightness: 350cd/m <sup>2</sup>
Touch	Multi-touch, cover glass with anti-glare treatment
Platform	Qualcomm® QCS6490
Operating system	Android 14 with GMS, update to Android 15 planned Regular security and maintenance updates guaranteeing safety of payment processing
Memory	RAM: 8GB LPDDR5 Storage: 128GB UFS
Communication	WLAN IEEE 802.11 ax BT 5.2
Extensions	Optional accessories include camera, bar code Scanner, Light Bar
Interfaces	1x USB-C 2.0 on the rear side 3 x USB-C 2.0 on each side for accessory connection 1 x USB-C 3.2 on the right side as accessory / service connection 1x USB-A Host Mode on the rear side RJ-45 LAN with PoE function DC input for Power (barrel connector) 24V@3A
Audio	Integrated microphone Integrated audio speaker
Mechanics	Dimensions: 348.5mm*238.8mm*31.3mm Weight: 3kg incl. Power Supply
Operating conditions	Temp: 0°C – +50°C   Humidity: 10% - 90%
Storage conditions	Temp: -20°C - +60°C
Warranty	1 year standard warranty Optional: 3 years warranty contracts





Sales Office: Europe & APAC

Aava Mobile GmbH Harksheider Straße 3 22399 Hamburg, Germany

Tel.: +49 40 6979 5939 Fax: +49 40 6979 5947

E-Mail: vertrieb@oona-solution.com

Headquarters: Finland

Aava Mobile Oy Nahkatehtaankatu 2 90130 Oulu, Finland

Tel.: +358 8 373 800 Fax: +358 8 373 811

E-Mail: info.fi@aavamobile.com

Sales Office: North America

Tel.: +1 800 656 3470

E-Mail: <a href="mailto:sales@oona-solution.com">sales@oona-solution.com</a>

For more information please visit: <a href="www.oona-solution.com">www.oona-solution.com</a>



