

# oona 10 Windows



The Windows powered checkout tablet with NFC directly on the screen The oona 10 is the innovative business solution for every professional environment powered by Windows.

#### **Enterprise durability & Longevity**

for professional use in every business enviroment

#### **Maximum flexibility**

for every application – in- or outdoors, built-in or mobile

#### Frictionless payment & checkout

by front-facing NFC for payment directly on the screen



Specifications	
	oona 10 Windows
Display	10.1"   1200 x 1920 px   660 cd/m²
Touch	Multi-touch (selectable user mode) Passive stylus support (4mm tip) Glove support (support of cotton gloves) Waterdrop recognition (rain & outdoor)
Platform	Intel® Alder Lake N100, Quad Core Processor 2.9GHz
Operating systems	Windows 10 LTSC (64-bit) Driver Package for Windows 11 and Linux Ubuntu
Memory (RAM / Storage)	8GB LPDDR5, 128GB UFS Optional: 16GB LPDDR5, 256GB UFS µSDXC Card Slot, accessible by end user
Communication	WLAN IEEE 802.11 ax+r/k/v WiFi6E, WiDi, WWAN, BT5.3, BLE GPS / GNSS / Galileo Front-Facing NFC (secure element) Smart Card Device
Cameras	Front 13MP   Main 13MP
Sensors	E-compass, accelerometer, gyro, ambient light sensor, proximity sensor, WiFi SAR, Programmable Shortcut Button with optional Fingerprint Sensor for Windows Login (API available)
Interfaces	USB-C: USB 3.2 Gen 1, PD (5V, 9V/3A) and DP 1.4 (for fast charging and debugging) Docking connector: USB 3.2 Gen 1, HDMI 2.0,  µSD card slot in battery compartment SmartBack Connector for easy USB accessory integration
Mechanics	IP65 (dust- and waterproof) Drop resistance from 1 m on concrete and 1.22 m on plywood with optional scanner frame: up to 1.5 m on plywood with optional rugged frame: up to 1.8 m on concrete Exchangeable battery Kensington Lock feature Compatible with existing Accessory Portfolio
Battery	Battery: 38 Wh (7.7V, 4.950mAh)
Dimensions	269.0 x 180.7 x 12.7 mm
Weight	approx. 817g
Operating conditions	Temp: -20 °C - + 50°C   Humidity: 10% - 90% ESD rating 15kV Air Discharge
Storage conditions	Temp: -20 °C - +60 °C
Availability	Starting Jan 2024; available until 2029










#### **Charging station**

- 1 bay modular charger (US Version: ACSTND05EA00) (EU Version: ACSTND05DA00)
- For charging only
- Enables quick-charging
- Kensington Lock feature

5 bay modular charger US Version: ACSTND05GA00

#### **Full docking station**



- (EU Version: IN0201360EU)

  Enables quick-charging

  Kensington Lock feature
- Minimized counter space
- Interfaces:
  - 3x USB 3.0 1x HDMI
  - 1x LAN (RJ45)

Version for tablet with scanner frame available (US Version: IN0201370US) (EU Version: IN0201370EU)

Tablet compatible with various other docking stations

## 

#### **Passive stylus**

(IN02040084) 4mm thin passive pen





#### Spare battery (for oona 8)

Exchangeable battery for maximum operating time





### **Hand & Shoulder strap**

Hand strap (IN02040013) Shoulder strap (IN02040014)

Attachable in screw towers below the corner stickers

Hand balm makes holding more comfortable

Shoulder strap can be used in combination with the hand strap (adjustable length)



Sales Office: Europe & APAC

Aava Mobile GmbH Harksheider Straße 3 22399 Hamburg, Germany

Tel.: +49 40 6979 5939 Fax: +49 40 6979 5947

E-Mail: vertrieb@oona-solution.com

Sales Office: North America

Tel.: +1 800 656 3470 E-Mail: sales@oona-solution.com

#### Finland, Headquarters

Aava Mobile Oy Nahkatehtaankatu 2 90130 Oulu, Finland

Tel.: +358 8 373 800 Fax: +358 8 373 811

E-Mail: info.fi@aavamobile.com

For more information please visit: <a href="www.oona-solution.com">www.oona-solution.com</a>



